

# Data sheet

## LED-light transmitter for headers, pluggable

Page 1/4


P/N  
700353-03-1216

xx=number of poles



2019/10/30

Version: L

### Illustrations



Dimensional drawing



See enlarged drawings at the end of document

### Product specification

- LED-light transmitter for headers, pluggable
- centerline 3.50 mm / 0.138 inches, height 5.70 mm / 0.224 inches
- 12 poles, dividable



**LED-light transmitter for headers, pluggable**

P/N

700353-03-1216

xx=number of poles

2019/10/30

Version: L

**Technical Data****General Data**

min. number of poles	1
max. number of poles	12

**Material**

insulating material	PC
Glow-Wire Flammability GWFI	-
Glow-Wire Flammability GWIT	-



## LED-light transmitter for headers, pluggable

P/N

700353-03-1216

xx=number of poles

2019/10/30

Version: L

### Zubehör von


P/N	Designation
313421	PT093xxHBBN Typ 342
313422	PT09JxxHBBN Typ 342
313941	PT093xxHBBF Typ 394
313942	PT09JxxHBBF

© 2019 METZ CONNECT - Technische Änderungen vorbehalten! Subject to modifications! Sous réserve de modifications techniques!



**Illustrations**

Dimensional drawing



$L = (\text{pole size} - 1) \times \text{centerline} + 3.5 \text{ mm} [0.138]$