

Data sheet

OpDAT MV perforated metal plate


Page 1/4

P/N
15036Z0403-E
EAN 4251394669663
2025/07/01
Version: B

Illustrations



Dimensional drawing



See enlarged drawings at the end of document

Product specification

- perforated plate for retrofitting in an OpDAT MV housing
- for mounting network components or attaching top-hat rails



Data sheet

OpDAT MV perforated metal plate

Page 2/4

P/N
15036Z0403-E
EAN 4251394669663
2025/07/01
Version: B

Technical Data

General Data

Color	metallike
Dimensions	
Dimension (L x W x H)	1.5 mm x 100 mm x 106 mm
Dimension (L x W x H)	0.059 in. x 3.937 in. x 4.173 in.
Weight	720 g
Weight	1.5873 lb

Mechanical data

Mounting method	screwable
-----------------	-----------

Materials and material properties

Material	steel
RoHS	compliant

Classifications

ETIM 7.0	EC002609
ETIM 8.0	EC002609
ETIM 9.0	EC002609
ETIM 10.0	EC002609

Packing details

Type of packaging	1 pc(s) / box
-------------------	---------------

Application note

This product is a standard product of METZ CONNECT. METZ CONNECT is not aware of the specific intended use of the goods by the Customer or any customers of the Customer. The Customer guarantees that it has fully and sufficiently tested the use of the goods and any product modifications, product changes or product enhancements with regard to the specific intended use in accordance with the state of the art or in any other way. At METZ CONNECT's request, the Customer shall submit and make available meaningful evidence (e.g. test and laboratory protocols, certifications, etc.).



Data sheet
OpDAT MV perforated metal plate

Page 3/4

P/N
15036Z0403-E
EAN 4251394669663
2025/07/01
Version: B**Accessories from**

P/N	Designation
15036000000-B	OpDAT MV unequipped IP65
15036000000-E	OpDAT MV unequipped IP54



Data sheet
OpDAT MV perforated metal plate

Page 4/4

P/N
15036Z0403-E
EAN 4251394669663
2025/07/01
Version: B

Illustrations

Dimensional drawing

