


Data sheet

AJT0DA, C6 UTP, black


Illustrations



Dimensional drawing



Drill pattern



See enlarged drawings at the end of document

Product specification

- RJ45 Jack
- Single port
- Side entry
- unshielded
- suitable for transmission category C6
- Housing color black
- THT solderable
- suitable for mounting rail housing

Data sheet

AJT0DA, C6 UTP, black

Page 2/4

P/N
AJT0DA8813-5100

2025/08/27

Version: I

Technical Data

General Data

Design	RJ45
Ports	Single port
Dimensions	
Dimension (L x W x H)	14.5 mm x 15 mm x 18 mm
Dimension (L x W x H)	0.571 in. x 0.591 in. x 0.709 in.
direction of connection of the cable to PCB	side entry
Mounting style	side entry
Position of latch	top
Number of contacts	8P/8C
Color	black
Protection category	IP 20
soldering method	THT

Material

insulating material	PBT
Insulating material class	CTI 175
Insulation material colour	black
Contact material	CuSn
Contact surface	Ni + Au
Special features	30 µ" Au

Climatic Data

upper limit temperature	70 °C
lower limit temperature	-40 °C

Electrical characteristics

Rated voltage	max. 50 V
Contact resistance	max. 20 mOhm
Insulation resistance	min. 500 MOhm
Current carrying capacity at 50 °C	1
Dielectric strength conductor-conductor (primarily)	max. 1000 V DC
Dielectric strength conductor-shield	max. 1500 V DC



Data sheet
AJT0DA, C6 UTP, black

Page 3/4

P/N
AJT0DA8813-5100

2025/08/27

Version: I

Technical Data**Transmission characteristics**

HF category Cat.6

Mechanical data

Insertion force 20 N

Life - Number of mating cycles ≥ 750 **Standards and approvals**

Standards IEC 60603-7

Classifications

ETIM 7.0 EC002637

ETIM 8.0 EC002637

Application note

This product is a standard product of METZ CONNECT. METZ CONNECT is not aware of the specific intended use of the goods by the Customer or any customers of the Customer. The Customer guarantees that it has fully and sufficiently tested the use of the goods and any product modifications, product changes or product enhancements with regard to the specific intended use in accordance with the state of the art or in any other way. At METZ CONNECT's request, the Customer shall submit and make available meaningful evidence (e.g. test and laboratory protocols, certifications, etc.).



Data sheet

AJT0DA, C6 UTP, black

Page 4/4


P/N
AJT0DA8813-5100

2025/08/27

Version: I

Illustrations

Dimensional drawing



Drill pattern

