

Data sheet

Cover plate 80 x 80 mm pure white, E-DAT C6

Page 1/4

P/N

816718-0102-I

EAN 4250184110378


2025/09/18

Version: N

Illustrations



Dimensional drawing



See enlarged drawings at the end of document

Product specification

- extension of UPk wall outlets to flush-mounted wall outlets
- suitable for E-DAT C6_A, E-DAT C6, E-DAT design, OpDAT 2 EK and W-DAT WLAN AP300
- glossy surface
- traffic white (RAL 9016), pure white (RAL 9010) or pearl white (RAL 1013)
- variants: traffic white, pure white, pearl white



Cover plate 80 x 80 mm pure white, E-DAT C6

P/N

816718-0102-I

EAN 4250184110378

2025/09/18

Version: N

Technical Data

General Data

Mechanical measurement according to MICE	M1
Ingress measurement according to MICE	I1
Climatic measurement according to MICE	C1
Electromagnetic measurement according to MICE	E3
Design	cover
Mounting style	Raceway-mounted to flush-mounted
Color	pure white - RAL 9010
Dimensions	
Dimension (L x W x H)	5.5 mm x 80.5 mm x 80.5 mm
Dimension (L x W x H)	0.217 in. x 3.169 in. x 3.169 in.

Materials and material properties

Material	ABS
Halogen free	yes
RoHS	compliant

Classifications

ETIM 7.0	EC002424
ETIM 8.0	EC002424
ETIM 9.0	EC002424
ETIM 10.0	EC002424

Packing details

Type of packaging	10 pc(s) / box
-------------------	----------------

Application note

This product is a standard product of METZ CONNECT. METZ CONNECT is not aware of the specific intended use of the goods by the Customer or any customers of the Customer. The Customer guarantees that it has fully and sufficiently tested the use of the goods and any product modifications, product changes or product enhancements with regard to the specific intended use in accordance with the state of the art or in any other way. At METZ CONNECT's request, the Customer shall submit and make available meaningful evidence (e.g. test and laboratory protocols, certifications, etc.).

Cover plate 80 x 80 mm pure white, E-DAT C6

P/N

816718-0102-I

EAN 4250184110378

2025/09/18

Version: N

Accessories from

P/N	Designation
13005AP300-E	W-DAT Line PoE Access Point 300 Mbit/s flush mounted without cover plug
13005AP300L-E	W-DAT Line PoE Access Point 300 Mbit/s flush mounted without cover LSA
13005AP300P-E	W-DAT Line PoE Access Point 300 MBit UP0 plug
1307370002-I	E-DAT C6 1 port AP pure white
1307371002-I	E-DAT C6 1 port UP pure white
1307371102-I	E-DAT C6 1 port flush mounted trunking installation pure white
1307371200-I	E-DAT C6 1 port flush mounted without cover
1307380002-I	E-DAT C6 2 port AP pure white
1307381002-I	E-DAT C6 2 port UP pure white
1307381102-I	E-DAT C6 2 port flush mounted trunking installation pure white
1307381200-I	E-DAT C6 2 port flush mounted without cover
1307441102-I	E-DAT design 2 port flush mounted trunking installation Cat.6, pure white
1307441200-I	E-DAT design 2 port flush mounted without cover Cat.6
130C370002-I	E-DAT C6 _A 1 port AP pure white
130C371002-I	E-DAT C6 _A 1 port UP pure white
130C371102-I	E-DAT C6 _A 1 port flush mounted trunking installation pure white
130C371200-I	E-DAT C6 _A 1 port flush mounted without cover
130C380002-I	E-DAT C6 _A 2 port AP pure white
130C381002-I	E-DAT C6 _A 2 port UP pure white
130C381102-I	E-DAT C6 _A 2 Port flush mounted trunking installation pure white
130C381200-I	E-DAT C6 _A 2 port flush mounted without cover



Data sheet

Page 4/4

Cover plate 80 x 80 mm pure white, E-DAT C6

P/N

816718-0102-I

EAN 4250184110378

2025/09/18

Version: N

Illustrations

Dimensional drawing

