

# Data sheet

## COAX modul IEC jack / F jack, Keystone


Page 1/5

P/N  
130898-0203KI  
EAN 4251394612478  
2025/05/12  
Version: D


### Illustrations



Dimensional drawing



Cut-out



See enlarged drawings at the end of document

### Product specification

- Coax connector with adapter in Keystone design, suitable for Keystone applications
- front connection: for IEC plug
- rear connection: for F plug
- 75-Ohm throughput coupling
- without terminator and coupler elements



# COAX modul IEC jack / F jack, Keystone

P/N

130898-0203KI

EAN 4251394612478

2025/05/12

Version: D

## Technical Data

### General Data

|   |                                   |
|---|-----------------------------------|
| Mechanical measurement according to MICE      | M1                                |
| Ingress measurement according to MICE         | I1                                |
| Climatic measurement according to MICE        | C1                                |
| Electromagnetic measurement according to MICE | E1                                |
| Design  | Jack                              |
| Shielding                                     | shielded                          |
| Transmission technology                       | Copper                            |
| Color   | light gray                        |
| Dimensions                                    |                                   |
| Dimension (L x W x H)                         | 30.05 mm x 14.7 mm x 22.2 mm      |
| Dimension (L x W x H)                         | 1.183 in. x 0.579 in. x 0.874 in. |

### Connections/interfaces

|                                      |   |
|--------------------------------------|---|
| Number of ports interface 1          | 1 |
| Number of ports interface 2          | 1 |
| Number of equipped ports interface 1 | 1 |
| Number of ports interface 2 equipped | 1 |

### Mechanical data

|         |          |
|---------|----------|
| Cut-out | Keystone |
|---------|----------|

### Materials and material properties

|              |           |
|--------------|-----------|
| Halogen free | yes       |
| RoHS         | compliant |

### Classifications

|          |          |
|----------|----------|
| ETIM 7.0 | EC001135 |
| ETIM 8.0 | EC001135 |
| ETIM 9.0 | EC001135 |

### Application note

This product is a standard product of METZ CONNECT. METZ CONNECT is not aware of the specific intended use of the goods by the Customer or any customers of the Customer. The Customer guarantees that it has fully and sufficiently tested the use of the goods and any product modifications, product changes or product enhancements with regard to the specific intended use in accordance with the state of the art or in any other way. At METZ CONNECT's request, the Customer shall submit and make available meaningful evidence (e.g. test and laboratory protocols, certifications, etc.).

# COAX modul IEC jack / F jack, Keystone

P/N

130898-0203KI

EAN 4251394612478

2025/05/12

Version: D

## Accessories from

| P/N           | Designation   |
|---------------|---|
| 130861-0202KE | Keystone surface mount housing 2 port pure white, unequipped  |
| 130861-0302KE | Keystone surface mount housing 3 port pure white, unequipped  |
| 130861-0402KE | Keystone surface mount housing 4 port pure white, unequipped  |
| 130861-0602KE | Keystone surface mount housing 6 port pure white, unequipped  |
| 130861-0802KE | Keystone surface mount housing 8 port pure white, unequipped  |
| 130861-1202KE | Keystone surface mount housing 12 port pure white, unequipped   |
| 130861-1602KE | Keystone surface mount housing 16 port pure white, unequipped   |
| 130861-2402KE | Keystone surface mount housing 2x12 port pure white, unequipped   |
| 130910D1APLKE | Extension box 1 Port E-DAT Modul Keystone   |
| 130910D2APLKE | Extension box 2 port E-DAT modul Keystone   |
| 130920-00KE   | Keystone 19 inch module frame 1RU<br>24 port light gray unequipped, shielded                                  |
| 130920-BKKE   | Keystone 19 inch module frame 1RU<br>24 port black unequipped, shielded                                       |
| 130926-0029KE | Keystone 19 inch module frame 1RU 24 port black unequipped,<br>shielded                                       |
| 130926A0003KE | Keystone 19 inch module frame 1RU 24 port angeled<br>grey unequipped, shielded                                |
| 130926A0029KE | Keystone 19 inch module frame 1RU 24 port angeled<br>black unequipped, shielded                               |
| 130926AA029KE | Keystone 19 inch module frame 1RU 24 ports<br>133° angled, black, unequipped, shielded                        |
| 130927-1200KE | SmartConnect Patchpanel 12 port Keystone, unequipped  |
| 1309428103-E  | Keystone REGplus IP20 light gray unequipped   |
| 1309470002KI  | IP44 surface-mounted module housing with hinged cover<br>and lock, pure white, 2 port unequipped for Keystone |
| 1309470003KI  | IP44 surface-mounted module housing with hinged cover<br>and lock, gray, 2 port unequipped for Keystone       |
| 1309471002KI  | Flush-mounted module housing with hinged cover and<br>lock, pure white, 2 port unequipped for Keystone        |
| 1309471003KI  | Flush-mounted module housing with hinged cover and<br>lock, gray, 2 port unequipped for Keystone module       |
| 1309A0D1APLKE | Extension box 1 port E-DAT adapter  |
| 1309A0D2APLKE | Extension box 2 port E-DAT adapter  |
| 130A20-00-E   | Keystone 19 inch module frame 1RU 24 port<br>light gray unequipped, unshielded                                |
| 130A20-BK-E   | Keystone 19 inch module frame 1RU 24 port<br>black unequipped, unshielded                                     |

Data sheet

Page 4/5

## COAX modul IEC jack / F jack, Keystone

P/N

130898-0203KI

EAN 4251394612478

2025/05/12

Version: D


### Accessories from

|               |  |
|---------------|--|
| 130A21-00-E   | Keystone 19 inch module frame 1RU 24 port stainless steel unequipped   |
| 130A24-00-E   | Keystone 19 inch module frame 1.5RU 48 port stainless steel unequipped |
| 130B20E2E-E   | Keystone module frame 3RU, 7HP 6 port stainless steel unequipped       |
| 130B21D1APL-E | Extension box 1 Port C6 <sub>A</sub> modul Keystone                    |
| 130B21D2APL-E | Extension box 2 port C6 <sub>A</sub> modul Keystone                    |
| 130D2CKU4-E   | DCCS2 subassembly 4 port unequipped - Keystone                         |



**Illustrations**

Dimensional drawing



Cut-out

