

Data sheet

Page 1/4


OpDAT REG K Connect for 12 splice connections with crimp splice holder

P/N
15024K0B200-E
EAN 4251394628776
2025/06/05
Version: F

Illustrations



Dimensional drawing



See enlarged drawings at the end of document

Product specification

- Very compact housing for TH35 mounting rail for up to 12 splice connections
- prepared for the connection of two installation cables
- Splice tray with crimp or shrink splice holder
- different installation variants on the mounting rail are possible
- Cable feed from above and below
- 2 cable entries M20 with strain relief included in delivery
- Housing (W x H x D): 50 x 85 x 130 mm
- Variants: with crimp splice holder for 12 splices or with shrink splice holder for 12 splices



OpDAT REG K Connect for 12 splice connections with crimp splice holder

P/N
15024K0B200-E
EAN 4251394628776
2025/06/05
Version: F

Technical Data

General Data

Fields of application	structured building cabling office areas data center
Mechanical measurement according to MICE	M1
Ingress measurement according to MICE	I1
Climatic measurement according to MICE	C1
Electromagnetic measurement according to MICE	E3
Design	Splice distributor
Mounting style	Standard rail TH35
Transmission technology	Fiber optic
Color	gray
Dimensions	
Dimension (L x W x H)	145.3 mm x 139 mm x 50 mm
Dimension (L x W x H)	5.72 in. x 5.472 in. x 1.969 in.

Connections/interfaces

Number of blind	4
Cable access/outlet	from top or bottom

Mechanical data

Cut-out	SC-D, LC-Q, ST-D
Life - Number of mating cycles	min. 500
strain relief	M gland

Materials and material properties

Material - Housing	sheet steel
Material - Housing finish	powder-coated
Material - Sleeve	ceramic, slotted
Material - Coupler housing	GD-Zn
Halogen free	yes
RoHS	compliant

Data sheet

Page 3/4

OpDAT REG K Connect for 12 splice connections with crimp splice holder

P/N

15024K0B200-E

EAN 4251394628776

2025/06/05

Version: F

Technical Data

Classifications

ETIM 7.0	EC001130
ETIM 8.0	EC001130
ETIM 9.0	EC001130

Application note

This product is a standard product of METZ CONNECT. METZ CONNECT is not aware of the specific intended use of the goods by the Customer or any customers of the Customer. The Customer guarantees that it has fully and sufficiently tested the use of the goods and any product modifications, product changes or product enhancements with regard to the specific intended use in accordance with the state of the art or in any other way. At METZ CONNECT's request, the Customer shall submit and make available meaningful evidence (e.g. test and laboratory protocols, certifications, etc.).



Data sheet

Page 4/4

**OpDAT REG K Connect for 12 splice connections
with crimp splice holder**

P/N

15024K0B200-E

EAN 4251394628776

2025/06/05

Version: F

Illustrations

Dimensional drawing

