

Data sheet

Page 1/5


PC board insert M12, A-coded, 2-pole, black, Tape & Reel

P/N
MMT060A915-G201
EAN 4251394631929
2025/08/28
Version: R


Illustrations



Dimensional drawing



Drill pattern



See enlarged drawings at the end of document

Product specification

- PC board insert M12
- 2-pole, A-coded according to IEC 61076-2-101
- THR solderable
- Top entry
- Contact carriers black
- Tape & Reel packaging
- suitable for applications in the railway industry according to data sheet



Data sheet

Page 2/5

PC board insert M12, A-coded, 2-pole, black, Tape & Reel

P/N

MMT060A915-G201

EAN 4251394631929

2025/08/28

Version: R

Technical Data

General Data

Dimensions

Dimension (D x H)	Ø 9.2 mm x 20.5 mm
Dimension (D x H)	0.362 in. x 0.807 in.
Ports	Single port
Solderability	Acc. to IPC/JEDEC J-STD-020E-MSL 1
Coding	A-coded

Electrical characteristics

Rated voltage	250 V
Effective value of the withstand voltage	1.4 kV
Current carrying capacity at 40 °C	4 A
Insulation resistance	min. 100 MOhm
Overvoltage category	II
Degree of pollution	2

Mechanical data

Material

Material - Contact	CuZnPb
Contact surface	Ni + Au
Material - Insulating body	LCP UL94 V0
Color	black
RoHS	pending
Life - Number of mating cycles	>= 100

Climatic properties

Temperature - Operating °C	-40 °C - 85 °C
Temperature - Operating °F	-40 °F - 185 °F

Approvals

Approval mark UL/CSA	E305050
----------------------	---------



Data sheet

Page 3/5

PC board insert M12, A-coded, 2-pole, black, Tape & Reel

P/N

MMT060A915-G201

EAN 4251394631929

2025/08/28

Version: R

Technical Data**Packaging**

Type of packaging	160 pc(s) / Tape & Reel
-------------------	-------------------------

Standards/Regulations

Railway applications

Electronic equipment used on rolling stock	following to DIN EN 50155
--	---------------------------

Fire protection on railway vehicles	following to DIN EN 45545-2
-------------------------------------	-----------------------------

Classifications

ETIM 7.0	EC002637
----------	----------

ETIM 8.0	EC002637
----------	----------

Application note

This product is a standard product of METZ CONNECT. METZ CONNECT is not aware of the specific intended use of the goods by the Customer or any customers of the Customer. The Customer guarantees that it has fully and sufficiently tested the use of the goods and any product modifications, product changes or product enhancements with regard to the specific intended use in accordance with the state of the art or in any other way. At METZ CONNECT's request, the Customer shall submit and make available meaningful evidence (e.g. test and laboratory protocols, certifications, etc.).



PC board insert M12, A-coded, 2-pole, black, Tape & Reel

P/N

MMT060A915-G201


EAN 4251394631929

2025/08/28


Version: R

Illustrations

Dimensional drawing



Drill pattern



Data sheet

Page 5/5

PC board insert M12, A-coded, 2-pole, black, Tape & Reel

P/N

MMT060A915-G201

EAN 4251394631929

2025/08/28

Version: R

Illustrations

Snap-in geometry

