

Data sheet

SAR 1

Page 1/3

P/N
130280-I

EAN 4250184101673


2025/08/20

Version: E

Illustrations



Dimensional drawing



See enlarged drawings at the end of document

Product specification

The SAR 1 is connected to a telecommunications line and controlled by the call voltage. The SAR 1 only reacts to the call voltage, not to dialing pulses (IWW). It activates an external signal emitter with its own or separate power supply (e.g. bell, horn, or lamp) by means of a contact. The incorporated switch can be used to activate and deactivate external signals.



Data sheet
SAR 1

Page 2/3

P/N
130280-I

EAN 4250184101673

2025/08/20

Version: E

Technical Data**Material**

Color pearl white RAL 1013

Climatic Data

Operating

Relative humidity max. 85 % non-condensing

Classifications

ETIM 7.0 EC000373

ETIM 8.0 EC000373

ETIM 9.0 EC000373

ETIM 10.0 EC000373

Application note

This product is a standard product of METZ CONNECT. METZ CONNECT is not aware of the specific intended use of the goods by the Customer or any customers of the Customer. The Customer guarantees that it has fully and sufficiently tested the use of the goods and any product modifications, product changes or product enhancements with regard to the specific intended use in accordance with the state of the art or in any other way. At METZ CONNECT's request, the Customer shall submit and make available meaningful evidence (e.g. test and laboratory protocols, certifications, etc.).



Illustrations

Dimensional drawing

