


Data sheet

Coding star white with a group of 6 coding pins


Page 1/5

P/N
700025-01-92025/08/21
Version: J

Illustrations



Dimensional drawing as an example



See enlarged drawings at the end of document

Product specification

- The coding pins are inserted into the slots provided in the terminal block and respective header. The coding pin with the bridge will be inserted into the header.
- This method of coding does not result in any circuit loss. Please refer to the drawing below for further details.
- Group of 6 coding pins



Data sheet

Page 2/5

Coding star white with a group of 6 coding pinsP/N
700025-01-92025/08/21
Version: J**Technical Data****Material**

insulating material	PA66
Glow-Wire Flammability GWFI	960 °C acc. to IEC 60695-2-12
Glow-Wire Flammability GWIT	775 °C acc. to IEC 60695-2-13

Application note

This product is a standard product of METZ CONNECT. METZ CONNECT is not aware of the specific intended use of the goods by the Customer or any customers of the Customer. The Customer guarantees that it has fully and sufficiently tested the use of the goods and any product modifications, product changes or product enhancements with regard to the specific intended use in accordance with the state of the art or in any other way. At METZ CONNECT's request, the Customer shall submit and make available meaningful evidence (e.g. test and laboratory protocols, certifications, etc.).



Coding star white with a group of 6 coding pins

P/N
700025-01-9

2025/08/21
Version: J

Accessories from

P/N	Designation
312131	RP036xxHBLC Type 213
312132	RP03AxxHBLC Type 213
312141	RP036xxHBLD Type 214
312142	RP03AxxHBLD Type 214
312171	RP036xxHBLF Type 217
312172	RP03AxxHBLF Type 217
312181	RP036xxHBLS Type 218
312182	RP03AxxHBLS Type 218
312491	RP016xxVBLC Type 249
312502	RP01AxxSBLC Typ 250
312511	RP016xxVBLF Type 251
312512	RP01AxxVBLF Type 251
312621	RP018xxVBLC Type 262
312622	RP01KxxVBLC Typ 262
313131	RP035xxHBLC Type 313
313132	RP039xxHBLC Type 313
313141	RP035xxHBLD Type 314
313481	RP085xxVBLC Type 348
31348103	RP08503VBLC Type 348
31348104	RP08504VBLC Type 348
31348105	RP08505VBLC Type 348
31348106	RP08506VBLC Type 348
313491	RP015xxVBLC Type 349
313492	RP019xxVBLC Type 349
313501	RP015xxSBLC Type 350
313502	RP019xxSBLC Typ 350
313511	RP015xxVBLF Type 351
313512	RP019xxVBLF Type 351
ASP045	SP045xxVBNC ASP045
ASP0450222	SP045xxVBNC ASP045
ASP0450322	SP045xxVBNC ASP045
ASP0450422	SP045xxVBNC ASP045
ASP0450522	SP045xxVBNC ASP045
ASP0450622	SP045xxVBNC ASP045

Coding star white with a group of 6 coding pinsP/N
700025-01-92025/08/21
Version: J**Accessories from**

ASP0450722	SP045xxVBNC ASP045
ASP0450822	SP045xxVBNC ASP045
ASP0450922	SP045xxVBNC ASP045
ASP0451022	SP045xxVBNC ASP045
ASP0451222	SP045xxVBNC ASP045
ASP046	SP046xxVBNC ASP046
ASP0460222	SP046xxVBNC ASP046
ASP0460322	SP046xxVBNC ASP046
ASP0460422	SP046xxVBNC ASP046
ASP0460522	SP046xxVBNC ASP046
ASP0460622	SP046xxVBNC ASP046
ASP0460722	SP046xxVBNC ASP046
ASP0460822	SP046xxVBNC ASP046
ASP0460922	SP046xxVBNC ASP046
ASP0461022	SP046xxVBNC ASP046
ASP0461122	SP046xxVBNC ASP046
ASP0461222	SP046xxVBNC ASP046
ASP049	SP049xxVBNC ASP049
ASP04A	SP04AxxVBNC ASP04A
ASP125	SP125xxVBNN ASP125
ASP129	SP129xxVBNF ASP129
SP065XXVBNC	SP065xxVBNC
SP066XXVBNC	SP066xxVBNC
SP066XXVBPC	SP066xxVBPC
SP995XXVBNC	SP995xxVBNC



Data sheet

Page 5/5

Coding star white with a group of 6 coding pins

P/N
700025-01-9

2025/08/21
Version: J

Illustrations

Dimensional drawing as an example

