

Data sheet

Cable gland M25 (Clamping range 9.0 to 11.0 mm)

Page 1/3

P/N

150811TM25-E

EAN 4251394657035

2026/08/20

Version: H

Illustrations



See enlarged drawings at the end of document

Product specification

- Separable cable gland incl. separable locknut and slotted sealing insert.
- metric connection thread EN 60423
- clamping range: 9 to 11 mm
- accessories for pre-assembled installation cables (OpDAT Prefab)
- protection class IP 67
- material: PC
- variants: 150811TM20-E, 150811TM25-E, 150811TM32-E



Data sheet

Page 2/3

Cable gland M25 (Clamping range 9.0 to 11.0 mm)

P/N

150811TM25-E

EAN 4251394657035

2026/08/20

Version: H

Technical Data

General Data

Mechanical measurement according to MICE	M1
Ingress measurement according to MICE	I1
Climatic measurement according to MICE	C1
Electromagnetic measurement according to MICE	E3
Design	cable gland
Color	light gray

Materials and material properties

Material	Polyamide
Halogen free	yes
RoHS	compliant

Classifications

ETIM 7.0	EC000441
ETIM 8.0	EC000441
ETIM 9.0	EC000441
ETIM 10.0	EC000441

Packing details

Type of packaging	1 pc(s) / plastic bag
-------------------	-----------------------

Application note

This product is a standard product of METZ CONNECT. METZ CONNECT is not aware of the specific intended use of the goods by the Customer or any customers of the Customer. The Customer guarantees that it has fully and sufficiently tested the use of the goods and any product modifications, product changes or product enhancements with regard to the specific intended use in accordance with the state of the art or in any other way.



Cable gland M25 (Clamping range 9.0 to 11.0 mm)

P/N

150811TM25-E

EAN 4251394657035

2026/08/20

Version: H

Accessories from

P/N	Designation
1309470002-I	IP44 surface-mounted module housing with hinged cover and lock, pure white, 2 port unequipped for MC module
1309470002KI	IP44 surface-mounted module housing with hinged cover and lock, pure white, 2 port unequipped for Keystone
1309470003-I	IP44 surface-mounted module housing with hinged cover and lock, gray, 2 port unequipped for MC module
1309470003KI	IP44 surface-mounted module housing with hinged cover and lock, gray, 2 port unequipped for Keystone
1309471002-I	Flush-mounted module housing with hinged cover and lock, pure white, 2 port unequipped for MC module
1309471002KI	Flush-mounted module housing with hinged cover and lock, pure white, 2 port unequipped for Keystone
1309471003-I	Flush-mounted module housing with hinged cover and lock, gray, 2 port unequipped for MC module
1309471003KI	Flush-mounted module housing with hinged cover and lock, gray, 2 port unequipped for Keystone module