

Data sheet

Page 1/6


Modul wall outlet surface mounted 1 port unequipped pure white 43 mm

P/N
130B10D10002-E
EAN 4250184141570
2026/08/25
Version: AB


Illustrations



Dimensional drawing



Drill pattern



See enlarged drawings at the end of document

Product specification

- surface-mounted termination unit 85 x 85 x 43 mm for all individual modules with modular design (E-DAT modul couplers 8 (8) only with suitable patch cable)
- module plug direction 45° downwards
- strain relief on module
- with label window for enclosed identification labels
- label sheet 209 x 294 mm see accessory
- integrated dust protection covers (also colored)
- structured surface with matt finish
- variants: 1 port, 2 ports, 3 ports



Data sheet

Page 2/6

Modul wall outlet surface mounted 1 port unequipped pure white 43 mm

P/N
130B10D10002-E
EAN 4250184141570
2026/08/25
Version: AB

Technical Data

General Data	
Fields of application	office areas
Mechanical measurement according to MICE	M1
Ingress measurement according to MICE	I1
Climatic measurement according to MICE	C1
Electromagnetic measurement according to MICE	E3
Design	wall outlet
Mounting style	AP
Color	pure white - RAL 9010
Dimensions	
Dimension (L x W x H)	51 mm x 85.6 mm x 85.6 mm
Dimension (L x W x H)	2.008 in. x 3.37 in. x 3.37 in.
Modularity	yes
Labeling option	label window with identification label
Marking option	by dust protection

Connections/interfaces	
Number of ports interface 2	1
Number of ports interface 2 equipped	0
Number of ports with dust protection interface 2	1
Module plug-in direction	45° downwards

Mechanical data	
Cut-out	MC module
strain relief	attached to module

Materials and material properties	
Material - Supporting frame	GD-Zn
Material - Surface mount frame	ABS, impact resistant
Material - Cover part(s)	ABS
Material - Label window	ABS, transparent
Material - Dust protection	ABS
Halogen free	yes
RoHS	compliant

Data sheet

Page 3/6

Modul wall outlet surface mounted 1 port unequipped pure white 43 mm

P/N
130B10D10002-E
EAN 4250184141570
2026/08/25
Version: AB

Technical Data

Classifications

ETIM 7.0	EC001264
ETIM 8.0	EC001264
ETIM 9.0	EC001264
ETIM 10.0	EC001264

Packing details

Type of packaging	10 pc(s) / box
-------------------	----------------

Application note

This product is a standard product of METZ CONNECT. METZ CONNECT is not aware of the specific intended use of the goods by the Customer or any customers of the Customer. The Customer guarantees that it has fully and sufficiently tested the use of the goods and any product modifications, product changes or product enhancements with regard to the specific intended use in accordance with the state of the art or in any other way.

Data sheet

Page 4/6

Modul wall outlet surface mounted 1 port unequipped pure white 43 mm

P/N
130B10D10002-E
EAN 4250184141570
2026/08/25
Version: AB

Accessories

P/N	Designation
130910-DNV	E-DAT modul Cat.6 _A 8(8) jack DNV
130910-I	E-DAT modul Cat.6 _A 8(8) jack
130910-Z	E-DAT modul Cat.6 _A 8(8) jack, (12 pcs)
1309A0-I	E-DAT modul coupler 8(8) 180° class E _A
130B11-25-E	25Gmodul
130B11-25-Z	25Gmodul (12 pcs)
130B11-DNV	C6 _A modul 180° jack DNV
130B11-E	C6 _A modul 180° jack
130B11-Z	C6 _A modul 180° jack (12 pcs)
820394-0105-I	Dust protection covers for wall outlets yellow
820394-0106-I	Dust protection covers for wall outlets blue
820394-0107-I	Dust protection covers for wall outlets green
820394-0108-I	Dust protection covers for wall outlets red
899650-01	Label sheet for wall outlets

Data sheet


Page 5/6

Modul wall outlet surface mounted 1 port unequipped pure white 43 mm


P/N
130B10D10002-E
EAN 4250184141570
2026/08/25
Version: AB

Illustrations

Dimensional drawing



Drill pattern



Data sheet

Page 6/6

Modul wall outlet surface mounted 1 port unequipped pure white 43 mm

P/N
130B10D10002-E
EAN 4250184141570
2026/08/25
Version: AB

Illustrations

Cut-out

