
Data sheet
Coding comb orange


P/N 716906

2026/11/12
Version: S

Illustrations



Dimensional drawing as an example



See enlarged drawings at the end of document

Product specification

- The coding pin is inserted into the mating area of the female contact (plug-in). The contact pin should be removed from the respective position of the header.
- This method of coding is associated with a circuit loss
- Group of 10 orange coding pins

METZ CONNECT GmbH | Im Tal 2 | 78176 Blumberg | Germany
Phone +49 7702 533-0 | Fax +49 7702 533-433 | info@metz-connect.com
Weitere Dokumentation siehe / additional documentation see / documentation supplémentaire voir www.metz-connect.com

© 2026 METZ CONNECT - Technische Änderungen vorbehalten! Subject to modifications! Sous réserve de modifications techniques!

Coding comb orange

P/N
716906

2026/11/12
Version: S

Technical Data

Material

insulating material	PA66
Glow-Wire Flammability GWFI	960 °C acc. to IEC 60695-2-12
Glow-Wire Flammability GWIT	775 °C acc. to IEC 60695-2-13

Application note

This product is a standard product of METZ CONNECT. METZ CONNECT is not aware of the specific intended use of the goods by the Customer or any customers of the Customer. The Customer guarantees that it has fully and sufficiently tested the use of the goods and any product modifications, product changes or product enhancements with regard to the specific intended use in accordance with the state of the art or in any other way.

© 2026 METZ CONNECT - Technische Änderungen vorbehalten! Subject to modifications! Sous réserve de modifications techniques!


Accessories from

P/N	Designation
310091	RP015xxWBWC (Type 009)
31009102	RP01502WBWC (Type 009)
31009103	RP01503WBWC (Type 009)
31009104	RP01504WBWC (Type 009)
31009105	RP01505WBWC (Type 009)
31009106	RP01506WBWC (Type 009)
31009107	RP01507WBWC (Type 009)
31009108	RP01508WBWC (Type 009)
31009109	RP01509WBWC (Type 009)
31009110	RP01510WBWC (Type 009)
31009111	RP01511WBWC (Type 009)
31009112	RP01512WBWC (Type 009)
31009113	RP01513WBWC (Type 009)
31009114	RP01514WBWC (Type 009)
31009116	RP01516WBWC (Type 009)
31009118	RP01518WBWC (Type 009)
31009121	RP01521WBWC (Type 009)
310092	RP019xxWBWC Typ 009
310101	RP015xxWBNC Typ 010
310491	RP015xxWBLC Type 049
310492	RP019xxWBLC Type 049

© 2026 METZ CONNECT - Technische Änderungen vorbehalten! Subject to modifications! Sous réserve de modifications techniques!

Illustrations

Dimensional drawing as an example



© 2026 METZ CONNECT - Technische Änderungen vorbehalten! Subject to modifications! Sous réserve de modifications techniques!