





• Druckfehler und technische Änderungen vorbehalten / Printing errors and technical changes reserved

100132835 / 10000087993a 11.2024© by METZ CONNECT

PIN assignments				
RJ45 PIN No.	Colour code <b>T568 B</b>		DIN 47100	Industrial
	A	B		
1	WH-GN	WH-OG	WH	YE
2	GN	OG	BN	OG
3	WH-OG	WH-GN	GN	WH
4	BU	BU	YE	-
5	WH-BU	WH-BU	GY	-
6	OG	GN	PK	BU
7	WH-BN	WH-BN	BU	-
8	BN	BN	RD	-

Connection	
Linie 1:1	1GBT crossover
1-1	1-3
2-2	2-6
3-3	3-1
4-4	4-7
5-5	5-8
6-6	6-2
7-7	7-4
8-8	8-5

Application							
RJ45 PIN No.	10BT/100BT	Gigabit Ethernet	Token Ring ISDN/So	TP-PMD/ATM	ISDN/So	Upo/TEL	
1	•	•		•			
2	•	•		•			
3	•	•	•		2a		
4		•	•		1a	•	
5		•	•		1b	•	
6	•	•	•		2b		
7		•		•			
8		•		•			



100132835 / 10000087993a 11.2024© by METZ CONNECT

• Druckfehler und technische Änderungen vorbehalten / Printing errors and technical changes reserved

