

Data sheet

OpDAT splice tray for KR50/55

Page 1/4

P/N
150802-E

EAN 4250184109181


2026/08/19

Version: R

Illustrations



Dimensional drawing



See enlarged drawings at the end of document

Product specification

- to receive up to 4 fusion splices
- engages in cable reservoir



Data sheet

OpDAT splice tray for KR50/55

Page 2/4

P/N
150802-E
EAN 4250184109181
2026/08/19
Version: R

Technical Data

General Data

Mechanical measurement according to MICE	M1
Ingress measurement according to MICE	I1
Climatic measurement according to MICE	C1
Electromagnetic measurement according to MICE	E3
Design	splice tray
Mounting style	Accessories
Color	pearl white RAL 1013
Dimensions	
Dimension (L x W x H)	10.5 mm x 151 mm x 76 mm
Dimension (L x W x H)	0.413 in. x 5.945 in. x 2.992 in.

Materials and material properties

Material	ABS
Halogen free	yes
RoHS	compliant

Classifications

ETIM 7.0	EC002066
ETIM 8.0	EC002066
ETIM 9.0	EC002066
ETIM 10.0	EC002066

Packing details

Type of packaging	1 pc(s) / plastic bag
-------------------	-----------------------

Application note

This product is a standard product of METZ CONNECT. METZ CONNECT is not aware of the specific intended use of the goods by the Customer or any customers of the Customer. The Customer guarantees that it has fully and sufficiently tested the use of the goods and any product modifications, product changes or product enhancements with regard to the specific intended use in accordance with the state of the art or in any other way.

Data sheet

Page 3/4

OpDAT splice tray for KR50/55

P/N

150802-E

EAN 4250184109181

2026/08/19

Version: R

Accessories from

P/N	Designation
150800501-E	OpDAT KR 50 cable reservoir 50 mm
150800551-E	OpDAT KR 55 cable reservoir 55 mm




Data sheet
OpDAT splice tray for KR50/55

Page 4/4

P/N
150802-E
EAN 4250184109181
2026/08/19
Version: R

Illustrations

Dimensional drawing



© 2026 METZ CONNECT - Technische Änderungen vorbehalten! Subject to modifications! Sous réserve de modifications techniques!

